

PATENT APPLICATION

**SYSTEM AND METHOD FOR IMPLEMENTING ELECTRONIC
MARKETS**

Inventor(s):

Arti Arora, a citizen of India, residing at,
1221 St. Matthew Way
Los Altos, CA 94024

Edward Lazear, a citizen of United States, residing at,
277 Old Spanish Trail
Portola Valley, CA 94028

Assignee:

Liquid Engines, Inc.
1289 Hammerwood
Sunnyvale, CA 94089

Entity: Small business concern

SYSTEM AND METHOD FOR IMPLEMENTING ELECTRONIC MARKETS

CLAIM OF PRIORITY

5 This application claims priority from U.S. Provisional Patent Application No. 60/193,955, filed March 31, 2000, entitled "Electronic Commerce System Including Weighted Characteristic Matching, Dynamic And Automated Creation Of Markets, Analysis Tools And Administrator Interface" which is hereby incorporated by reference as if set forth in full in this document.

CROSS-REFERENCES TO RELATED APPLICATIONS

10 This application is related to co-pending Patent Application No. [TBA], filed March 30, 2001, entitled "Electronic Matching Engine For Matching Desired Characteristics With Item Attributes" (Attorney Docket 20512-1-1) and Patent Application No. [TBA], filed 15 March 30, 2001 entitled "Efficient Interface For Configuring An Electronic Market." (Attorney Docket 20512-1-3).

BACKGROUND OF THE INVENTION

Field of Invention:

20 This invention relates in general to electronic transactions using digital processing systems, and more specifically to a system for creating and operating electronic marketplaces.

Description of the Related Art:

25 Electronic commerce systems are becoming popular as a way for people to purchase or trade goods and services. Such systems often take the form of "stores" where a buyer can purchase a good, or "auctions" where a bidder can attempt to purchase an item by 30 progressive bidding. The Internet provides an effective network to allow users, or buyers, to participate in electronic markets by using electronic commerce systems. Examples of such systems are at www.amazon.com or www.ebay.com.

Although such sites are effective in allowing a user to bid on, or directly purchase, items they are not without shortcomings. Because of the sheer number of items available, it is often difficult for a user to identify a desired item. Rudimentary search engines are typically provided by such sites. However, such search engines are restrictive in the types of queries that can be made and the results that are returned. Also, each system is set up to be a specific type of market. It is difficult, for example, to turn a direct purchase system into an auction system. The type of market must be decided upon from the beginning of the design of the system. Many months are usually needed to program, test and deploy the system. Once deployed, such systems are difficult to adapt to changing market needs. Also, the variety of markets that are provided by today's systems is very limited. These limitations are due, in part, to the searching, or matching, engines that perform the task of matching an item for sale with a set of characteristics desired by a buyer.

There are already a large number of electronic markets that have been conceived, but cannot be implemented because current engines are not able to deal with necessary intricacies. Many such markets involve services, where description of the item to be traded needs to be so detailed that the categories may lack any buyers or sellers who satisfy the criteria.

For example, services (as opposed to goods) are difficult to trade electronically because individuals who provide the services are heterogeneous. Unlike office supplies, workers are idiosyncratic, possessing different skills, having different experience, and wanting different characteristics in jobs that they are willing to take. Other engines deal with these idiosyncrasies in a rigid manner that lumps different people into the same category.

Current engines do not handle substitution between goods. For example, consider the market for a used car. A buyer is asked to specify the desired characteristics of a car. These include make, model, year, and possibly color. As the category narrows, fewer cars are presented to the potential buyer. At the end of the process, all cars within the desired category are listed as if they are perfect substitutes for one another. Those outside the category are not listed at all. But a buyer might prefer 1998 Honda Accord to a 1997 Toyota Camry at the same price. Current matching methods ignore these possibilities.

Current engines also do not provide mechanisms to value certain characteristics over others. Usually a buyer must provide the characteristics for use in a match. Provided characteristics must be present or there is no match. Characteristics that

may not be very important to the buyer are treated the same as characteristics that the buyer deems essential.

Often a market administrator is in a position to set up a market type but is unsure, or ignorant, of the market type that would be most efficient. Traditional systems do not provide insight into the effects of using a particular market type for a particular commerce application.

SUMMARY OF THE INVENTION

The present invention allows an administrator to create, run, model and adapt an electronic commerce system so that the system operates more efficiently. Many possible types of electronic markets can be created and managed. The system assists administrators in selecting the appropriate market and in improving the performance of an operating market.

In the illustrative embodiment, the inventive system is adapted for use with the Internet. The system includes a first mechanism for defining a set of attributes and associated descriptor variables involved in market transactions and assigning importance values to the descriptor variables. A second mechanism computes match scores for the market transactions based on the importance values. A third mechanism clears the electronic market in accordance with the match scores.

In a more specific embodiment, the first mechanism includes an administrator interface for allowing an administrator to define the descriptor variables. A configurator communicates with the administrator interface allowing the administrator to assign a first set of one or more importance values to one or more of the descriptor variables, respectively. The first set of one or more importance values includes default importance values or importance values assigned to the descriptor variables by a seller seeking to transact with a buyer via the electronic market.

The administrator interface includes a mechanism for configuring a user interface of the market to allow a participant in a market transaction to assign a second set of one or more of the importance values to the descriptor variables. The second set of one or more importance values includes buyer importance values assigned to the descriptor variables by a buyer seeking to transact with a seller via the electronic market. The descriptor variables and associated descriptor importance values may be continuous or discrete.

The second mechanism includes a matching engine for computing the match scores for market transactions based on a predetermined evaluation method specified via the administrator interface and based on a match score computation method. The predetermined

evaluation method includes a mechanism for mapping descriptor values into corresponding preference numbers (D_{ijr}) within a predetermined number range, such as between 0 and 1. The predetermined evaluation method includes a more is better method, an equal to method, a less is better method, and a distance method, among others. The (D_{ijr}) variables can be computed from underlying raw data that can take the form of numerical or alphabetical descriptors. One innovation is allowing any type of data to be transformed into real numbers (often between zero and one). For example, a consumer preferring that something be made of nylon might receive a score of .6 (rather than one or zero) for something made of rayon or other related synthetic material. Software running on the matching engine uses the match score computation method to compute a total match score (Z_{ij}) based on the importance values according to the following equation:

$$Z_{ij} = \sqrt{Z_{ij}^i Z_{ij}^j},$$

where Z_{ij}^i is a match score based on importance values assigned by a first participant in the electronic market and any corresponding preference numbers D_{ijr} , and Z_{ij}^j is a match score based on importance values associated with a second participant in the market and any corresponding preference numbers. (D_{ijr} The functional form that relates the total score need not be a square root, but can be any function of the two underlying components Z_{ij}^i and Z_{ij}^j .)

In the specific embodiment, the first participant is a seller and the second participant is a buyer. The third mechanism includes one-to-many market-clearing software and/or one-to-one market-clearing software. The one-to-one market-clearing software includes a mechanism for searching all total match scores Z_{ij} for market participants i and j (seller i and buyer j); selecting the maximum value of Z_{ij} ; matching participant i to participant j to yield cleared participants in response thereto; removing Z_{ij} corresponding to the cleared participants from the set of all Z_{ij} to yield a reduced Z_{ij} ; and repeating the above steps for the reduced Z_{ij} . The one-to-one market-clearing software further includes a mechanism for clearing markets that maximizes the sum of all matches Z_{ij} and clears sections of a matrix of values corresponding to Z_{ij} .

The third mechanism includes an endogenous market definer that automatically defines the descriptor variables based on pre-existing market data. The third mechanism further includes a semi-endogenous market definer that selects a starting seller to participate in market transactions. The starting seller is chosen to match best with all buyers participating in the electronic market.

An electronic market implemented via the system of the present invention may be an internal allocation market, a business-to-business concierge, a modified competitive market, an electronic pawn shop, an electronic wholesaler, a trading post, an auction or qualified auction, a web credit market, and so on.

The novel design of the present invention is facilitated by the first means, which enables attributes of transaction entities, such as products or services, to be ranked in order of importance. Scores for transactions may be computed by ranking the importance of particular attributes. Consequently, buyer and seller desires are accurately modeled and used to optimally match transactions.

By employing continuous and/or discrete descriptor variables rather than discrete descriptor variables only, the present invention allows users to specify relative preferences between attributes. For example, a user may indicate that car safety features are more important than color by assigning a lower importance value to the car safety features attribute(s) than for the color attribute. Conventionally, a user could only specify whether they wanted a car with the safety attributes and/or the indicated color attribute or not.

Additionally, preference variables can be specified in a continuous fashion. For example, a basketball team might specify that it prefers a guard who is 6'4" tall would not be ruled out automatically, but would received a lower rating than a player who was 6'3" tall.

Unlike with conventional categorical markets, the probability of successfully recommending a product based on customer preferences does not decrease as possible specified categories increase. Consequently, the present invention enables implementation of certain market types that would otherwise be impossible to electronically implement via conventional categorical matching engines.

The present invention provides multi-attribute search and transaction matching capabilities with a controlled number of matches and employs a matching algorithm that can process fuzzy or vague descriptions of desired products. The matching algorithm can recommend products when a perfect match is not found and may accommodate different buyer and seller attribute preferences. Markets implemented via the present invention may

recommend high-margin products when a customer is indifferent between two or more products. The matching algorithm is quick and efficient, reducing average search time to under a minute. Markets incorporating the present invention can handle any number of attributes while always returning a match or recommendation.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram of a customizable matching system for implementing an electronic market constructed in accordance with the teachings of the present invention.

Fig. 2 is flow diagram of a method used by the customizable matching system of Fig. 1 to implement an electronic market.

10

DESCRIPTION OF THE INVENTION

Fig. 1 is a diagram of a customizable matching system 10 constructed in accordance with the teachings of the present invention. For clarity, various components of the matching system 10, such as operating systems, modems, and power supplies are not shown in Fig. 1, however these components are well known and readily implemented by those skilled in the art.

15

The matching system 10 generates e-commerce markets and internal allocation markets by efficiently matching buyers and sellers, matching buyers to products, and/or matching internal tasks to employees, and so on, in accordance with the type(s) of market implemented by the matching system 10. For the purposes of the present discussion, the term market is defined as any system for matching or qualifying two or more entities in a transaction. This includes internal allocation systems. A market is typically associated with a physical or virtual location where entities, such as buyers and sellers, come together to sell or exchange goods and/or services. Furthermore, in the present discussion, the terms market and market configuration are used interchangeably. The market configuration represents a computer file (or other memory mechanism) with instructions and data for implementing an electronic market.

20

25

30

The matching system 10 includes a market generation system 12 in communication with system and market administrators 14 and a client computer 16. The client computer 16 communicates with a user community 18, which may include buyers and sellers, via the Internet 20.

The market generation system 12 includes a market configurator 22 having an administrator interface 24, a configuration database 26, a matching engine 28, and a

transaction database 30. The administrator interface 24 enables market administrators 14 to quickly configure the matching system 10 to meet changing market demands.

The administrator interface 24 facilitates creating an e-commerce user interface implemented via the website 36. The administrator interface 24 has instructions (including administrator instructions and corresponding implementation software) and input fields for facilitating market type definition. The administrator interface 24 also includes instructions and input fields allowing the administrators 14 to define characteristics associated with entities to be transacted via a market, such as products or services.

The configurator 22 outputs configuration data to an application server 32 residing on the client computer 16. The configurator 22 also communicates with the configuration database 26, which provides input to a matching engine 28. The matching engine 28 provides intelligence input to the configurator 22 and communicates with the transaction database 30 and the application server 32 running on the client computer 16.

The client computer 16 has a web server 34 and a central database 38, which communicate with the application server 32. The web server 34 hosts e-commerce websites 38, which are accessible to the online user community 18 via the Internet 20.

In operation, a company or other organization wishing to use the matching system 10 to generate an e-commerce market provides the market administrators 14 with a clearly defined business model. Such a company is called a net market maker, which is an entity that creates an Internet market to match buyers and sellers. The net market maker does not necessarily own goods.

The administrators 14 input market configuration information to the configurator 22 via the administrator interface 24 in accordance with the selected business model. The market configuration information includes the name and type of market to be configured, which administrators and groups thereof will have access to configure the market, and market behavior information. Market behavior information includes criteria used to match products and/or services to buyers or to match buyers and sellers, the types of transactions used, attributes of goods and/or services to be associated with preferences, importance values (weights) associated with the preferences, whether the preferences will be associated with discrete or continuous attribute variables, and so on, as discussed more fully below.

The configurator 22 allows administrators 14 to set up a market and configure the user interfaces 36 simultaneously. Through a series of drop-down menus and questions, the administrators 14 are guided through the process of setting up the particular market.

Administrator input affects operation of the overall matching system 10, including which modules are employed therein, and generates simple user interfaces 36 incorporating user-friendly questionnaires (not shown). The simple and efficient user interfaces 36 make the underlying market generation system 12 and computer 16 transparent to the users.

5 The configurator 22 is completely customizable so that the administrators 14 can define any number or type of market descriptor variables. The configurator 22 translates this information automatically into a form that is usable by the matching engine 28 and application server 32. The configurator 22 automatically handles complex technical issues associated with generating the e-commerce site 36 and requires only simple input from the
10 administrators 14. The administrators 14 may only be required to complete eight or fewer panels.

Additional details of the administrator interface 24 are discussed more fully in co-pending U.S. Patent Application No. {TBA}, filed March 30, 2001, by A. Arora, et al.,
15 entitled, "Efficient Interface For Configuring An Electronic Market," (Attorney Docket No. 20512-000130US), assigned to the assignee of the present invention and incorporated by reference herein.

Market configuration information that is input via the administrator interface 24 of the configuration 22 is stored in the configuration database 26. The configuration database 26 also stores configuration information for previously created markets, which
20 enables the administrators 14 to selectively copy configuration information from pre-configured markets to expedite market implementation.

In the present specific embodiment, the configuration information that is provided by the market administrators 14 to the configurator 22 via the administrator interface 24 is sent to the application server 32 on the client computer 16 as an XML
25 (Extensible Mark-up Language) file (config.xml) via HTTP (Hypertext Transfer Protocol) protocol. Use of XML files enhances the portability of the market generation system 12, facilitating interfacing with different client computers running different types of application servers, web servers, and operating systems.

The administrators 14 may selectively activate and deactivate markets. When
30 a configured market is activated, the market configuration information is provided to the application server 32 running on the client computer 16. The matching engine 28 receives configuration information from the configuration database 26. In an active market, configuration information is available to the websites 36 so that buyers and sellers 18 can

input data. In an inactive market, market configuration is unavailable to the front end, i.e., websites 36 so that users, such as buyers and sellers, cannot enter data.

The application server 32 runs software for generating and configuring the user interfaces of the websites 36 according to market configuration information (config.xml) received from the configurator 22. The configuration information specifies user interface details, such as what preferences selections for what products or services will be available to the users 18 and how the preferences will be selected by the users 18, such as by drop down lists or text fields.

The application server 32 may perform tasks other than user interface generation and configuration without departing from the scope of the present invention. For example, some matching engine computations may be distributed to the application server 32.

When the users 18 participate in the market, they input their preferences via the website user interfaces 36 by associating importance values with desired attributes associated with entities to be transacted via the current transaction. Their preferences and selections are forwarded to the matching engine 28 via the application server 32. The matching engine 28 performs matching between entities involved in market transactions, such as buyers and sellers, while accounting for buyer and seller wishes or preferences. The matching engine 28 transfers XML files via HTTP to and from the application server 32. The XML files transferred to the matching engine 28 from the application server 32 include have.xml and want.xml, which contain information pertaining to buyer and seller preferences and product and/or service availability. XML files transferred to the application server 32 from the matching engine 28 include buyer.xml and seller.xml, which contain matching information specifying which sellers, buyers, products, and/or services are matched.

The matching engine 28 selectively stores and accesses transaction information on the transaction database 30. The transaction database 30 maintains transaction records, which facilitate market-clearing operations. The administrators 14 may employ the administrator interface 24 to direct the matching engine 28 to clear a market.

The matching engine 28 employs the configuration information to match buyers and sellers, buyers with products or services, or workers with tasks, and so on, according to the configuration information, which may include pre-selected matching techniques. The matching engine 28 receives information pertaining to importance weights assigned to desired attributes by buyers and sellers from the application server 32. The matching engine 28 then searches the transaction database 30 or central database 38 to find and score combinations of buyers and sellers or buyers and products, or workers and job

assignments, and so on. The match score computed by the matching engine 28 is based on the importance weights assigned by market participants, such as buyers and sellers. A predetermined number of matches associated with the highest match scores are displayed to the users 18 via the interfaces 36.

For example, a customer searching for a car may specify desired attributes, such as red car, airbag, snow tires, and so on. The customer may assign importance values, such as 0.5, 0.7, and 0.4, respectively, to the desired attributes. This indicates that the customer values airbag safety attributes more than a red paint job and values the red paint job more than snow tires. The match engine 28 then searches a market database, such as the central database 38 that contains information pertaining to cars for sale and their corresponding attributes. The information pertaining to cars for sale may also include information indicating seller preferences. For example, a seller may prefer to sell a car with a high profit margin rather than a car with a low profit margin. The matching engine 28 searches the appropriate database and scores each car based on importance values assigned to the automobile search by the customer and the importance values assigned by the seller. The matching engine 28 then returns match information to the customer, which includes a list of cars that most closely accommodate the customer's preferences (highest match scores) and any seller preferences as indicated by assigned importance weights.

The matching engine 28 of the present invention may accommodate discrete and continuous weights assigned to entities to be transacted. The weights, which are also called importance values, are assigned to attributes (of entities to be transacted) by buyers, sellers, administrators, or other market participants. The matching engine 28 computes a score for a match based on the weights. The exact details of the method for computing the matching score are application-specific and may vary. One skilled in the art with access to the present teachings may easily adapt the methods disclosed herein to accommodate the needs of a given application.

The matching engine 18 may be employed to recommend an optimal market for a given combination of goods and services based on previous transaction information stored in the transaction database 30 and based on intelligence algorithms running on the matching engine 28. These intelligence algorithms may also be employed to perform predictive simulations in accordance with varying parameters as set via the administrator interface 24. Furthermore, these software algorithms may be employed to endogenously define a market based on predetermined criteria. When the market generation system 12 endogenously defines a market, the market is automatically configured to meet the needs of a

given market place. The market administrators 14 are then freed from various market design and configuration tasks.

In the preferred embodiment, the matching engine 28 computes a matching score (Z_{ij}) according to the following equation:

$$Z_{ij} = \sqrt{Z_{ij}^i Z_{ij}^j}, \quad [1]$$

where Z_{ij}^i and Z_{ij}^j are defined similarly according to the following equation:

$$Z_{ij}^i = \sqrt{\left[\prod_r (1 - a_{ir}(1 - D_{ijr})) \right]^{\frac{1}{R}} \left[\sum_r \delta_r (1 - a_{ir}(1 - D_{ijr})) \right]}, \quad [2]$$

where R is the total number of attributes of index r considered; a_{ir} is an importance value that the i^{th} seller attaches to the r^{th} attribute. The r^{th} attribute that is associated with the i^{th} seller is associated with an attribute variable x_{ir} . When computing Z_{ij}^j for buyers, a_{jr} is an importance value that the j^{th} buyer attaches to the r^{th} attribute. The r^{th} attribute associated with the j^{th} buyer is assigned an attribute variable x_{jr} . D_{ijr} is a preference variable with a value between zero and one that changes in accordance with how well a seller's desires are satisfied by a buyer's characteristics of vice versa. D_{ijr} is given by one of the following equations:

$$D_{ijr} = \max \left[0, \left(1 - \frac{C_{ijr}}{C_r^{\max}} \right) \right], \text{ or} \quad [3]$$

$$D_{ijr} = \frac{e^{(1.946(x_{ir} - x_{jr})/\sigma_r)}}{1 + e^{(1.946(x_{ir} - x_{jr})/\sigma_r)}}, \text{ or} \quad [4]$$

$$D_{ijr} = \{0, 1\}, \quad [5]$$

where the factor 1.946 may be changed or set by an administrator; σ_r is the standard deviation of $x_{ir} - x_{jr}$; C_{ijr} is a non-negative pre-determined value, which may be obtained from a table look-up or other procedure; and C_r^{\max} is the maximum tolerable value for C_{ijr} , is application-specific, and may be determined by one skilled. C_{ijr} may be zero, which is often the best value for C_{ijr} . For example if C_{ijr} is defined as the distance between two locations, where C_r^{\max} is the maximum tolerable distance, all values greater than C_r^{\max} would result in $D_{ijr} = 0$. With access to the present teachings, one skilled in the art may easily determine values for C_{ijr} and C_r^{\max} to meet the needs of a given application.

Z_{ij} of equation (1) is a weight mapping function that incorporates pre-selected descriptor value evaluation methods via D_{ijr} and computes a total match score for market participants i and j , such as sellers and buyers, respectively. If a market does not incorporate seller desires Z_{ij}^i , then equation (1) is not employed and instead, $Z_{ij} = Z_{ij}^j$.

By scoring matches and allowing users, such as buyers, to assign continuous weights to preferred product attributes, users may specify or rank varying degrees of preferences between attributes. Specifying different preference degrees via importance values or weights enables computation of a total score for a match between entities to be involved in a transaction. The total score reflects the compatibility of the entities involved in the match. Matches with the highest score identify entities that are most compatible to transact with each other. By computing a total score for the match, and selecting the match with the best score, situations wherein no matches are returned are eliminated.

The electronic markets implemented via the customizable matching system 10 of the present invention may employ selectively weighted descriptor variables instead of rigid discrete categories to describe elements to be transacted such as workers, job assignments, buyers, products, sellers, and so on. However, if certain categorizations are desirable for a certain application, the customizable matching system 10 of the present invention may employ categories in combination with weighted descriptor variables.

In a symmetric exchange market, searched items are scored according to the preferences of both the buyer and seller. Buyer preferences are specified via the user interfaces 36. Seller preferences are often pre-determined by the seller and specified via the administrator interface 24. The match score for a particular transaction incorporates both customer and seller preferences, which are indicated via weights or importance values

associated with descriptors only and/or descriptors and descriptor values. A combined score for a particular searched item is computed via one or more predetermined functions, such as a geometric mean or the function of equation (1).

The customizable matching system 10 allows selective ranking of attributes of a given entity to be transacted according to the importance of the attributes to participants in the transaction. This allows markets to score transactions to find and clear the best-matched transactions. Consequently, the customizable matching system 10 of Fig. 1 eliminates primary shortcomings with conventional matching engines and accompanying systems

In previous systems buyers were limited to a few product attribute preference selections, such as color, model, and year. Each preference was associated with a discrete value, such as yes or no. The total score for a match between a product and a buyer's preferences was computed as either yes or no. Consequently as the number possible preferences increased, the likelihood of the system returning no matches greatly increased, and accompanying databases became large and impractical. By employing only discrete weights (1 or 0; yes or no) and failing to allow a consumer to rank relative preferences between attributes, conventional matching engines inaccurately modeled the true preferences or desires of the buyers and resulted in systems which were difficult or impractical to implement.

The matching system 10 may include additional modules, such as market/user level personalization modules, pricing modules, and ramp-up modules, without departing from the scope of the present invention. Such modules, and additional details of the matching engine 28, are discussed more fully in an alternative embodiment of the matching system 10 disclosed in co-pending U.S. Patent Application No. [TBA], filed March 30, 2001, by A. Arora, et al., entitled "Electronic Matching Engine For Matching Desired Characteristics With Item Attributes," (Atty. Docket No. 20512-000110US), assigned to the assignee of the present invention and incorporated by reference herein.

The importance weights assigned by buyers to attributes represent either continuous or discrete values and are associated with corresponding continuous or discrete descriptor variables, as predetermined by the market administrator. For the purposes of the present discussion, a discrete variable can take on one of two discrete values or weights, such as 1 or 0, or yes or no. A continuous variable can take on multiple values, called continuous values or weights, over a predetermined range, such as numbers between 0 and 1. A continuous descriptor variable may be assigned a non-discrete weight, such as a number

between 1 and 0, to indicate a user-preference level. Continuous descriptor variables are also called analog descriptor variables, and continuous weights are called analog weights.

When an attribute of an item is described by a continuous variable, the present invention may employ a distance method or a more is better method to compute the score of an item. The distance method includes the step of computing the distance between an ideal descriptor value or level associated with a particular product, service, or seller and a true descriptor value or level specified by the buyer. The product, service, or seller associated with the smallest distance is most preferred by the buyer and results in a D_{ijr} that is closest to 1 (see equations (1) through (3)).

The distance (D) between two vectors, such as a desired descriptor vector $\hat{x} = (x_1, x_2, \dots, x_{N-1}, x_N)$ and an actual descriptor vector $\hat{y} = (y_1, y_2, \dots, y_{N-1}, y_N)$ is given by the following equation:

$$D = \sqrt{(x_1 - y_1)^2 + (x_2 - y_2)^2 + \dots + (x_{N-1} - y_{N-1})^2 + (x_N - y_N)^2} \quad [6]$$

The elements of each vector \hat{x} and \hat{y} represent optimal descriptor weights and actual descriptor weights, respectively, for N corresponding attributes of a particular product or service being searched.

The distance method may employ a tolerance cut-off value. If a score is below the tolerance value, the score is not varied as D varies, but remains constant. The tolerance cut-off value specifies a value beyond which the market administrator does not want to decrease the score in a continuous fashion.

The administrator interface 24 facilitates creating an e-commerce user interface and includes software for facilitating market type definition. The software allows the administrator to define characteristics for use in association with an item or service to be transacted.

The customizable matching system 10 may perform predictive simulations in accordance with varying parameters, such as different descriptor variables, evaluation methods, types of descriptor variables (discrete or continuous), and so on. Furthermore, the present invention may recommend an optimal market for a given combination of goods and services. The matching engine 28 incorporates software for identifying a viable market for a given combination of products and services via input received from buyers and sellers regarding the products and/or services. The combination of products and services is specified

by an administrator 14 via the administrator interface 24. The software for recommending an optimal market may employ endogenous or semi-endogenous market selection techniques as discussed more fully below. Possible markets implemented by the customizable matching system 10 include exchange, competitive market, modified competitive market, consignment store, barter, pawnshop, trading post, qualified auction, futures and credit, and internal allocation markets.

Use of the customizable matching system 10 to implementing markets may allow buyers and sellers to rank preferences. For example, a customer shopping for shoes may feel that price is important but shoe size is essential. The present invention enables the customer to specify these different preferences for the price and shoe size attributes by employing importance values, which are assigned to each attribute by the buyer via the interfaces 26. The matching engine 28 of the present invention uses the importance values to compute a match score (Z_{ij}) for various products. A controlled number of product matches with the highest match score are returned to the buyer, i.e., customer. The matching engine 28 may compute a total match score that also incorporates seller preferences, such as price, availability, and margin.

In general, the customizable matching system 10 employs various implementation technologies, such as Java, Java Script, Extensible Markup Language (XML), and so on to implement electronic markets. The application server 32 may be implemented by an application server from WebLogic Inc. The customizable matching system 10 is preferably implemented via platform-independent technologies, such as J2EE.

Use of these various technologies improves system scalability and portability. The matching system 10 lacks server affinity so that the user interfaces 36 and application server 32 may be scaled by adding additional servers as needed. Servers may be selectively added and removed from the system 10 to perform load balancing.

In general, the system 10 does not require special proprietary client-side libraries that would reduce system portability. This makes the system 10 compatible with all major browsers, including recent versions of Microsoft® Internet Explorer and Netscape® Navigator. Furthermore, various functional blocks of Fig. 10 are implemented via software modules that employ distributed objects to allow clustering of systems, which facilitates adding new servers without requiring additional programming.

Fig. 2 is flow diagram of a method 50 used by the customizable matching system 10 of Fig. 1 to generate a market in response to input from an administrator. In an

initial attribute-defining step 52, an administrator defines a set of attributes and qualities thereof that are important in valuing market transactions. For example, in a used car exchange market, important attributes might be car safety features, color, year, model, make, and so on. Each attribute may be associated with particular qualities, such as red, green, blue, black, and white for the color attribute.

Next, each attribute and/or qualities of each attribute are assigned descriptor variables in a descriptor variable step 54. The descriptor variables may be continuous or discrete. Continuous descriptor variables may be assigned importance values or weights of different values. Discrete descriptor variables are assigned Boolean values representing either true or false, desired or not desired, rejected or not rejected, and so on.

For the purposes of the present discussion, descriptor values and importance values are used interchangeably. However, descriptor values may be considered as variables corresponding to specific qualities of an attribute, to which importance values are assigned. For example, a descriptor variable describing product material may be associated with a descriptor value representing nylon or leather. The descriptor value may be assigned an importance weight or value by an administrator or other market participant as discussed more fully below.

Subsequently, in an optional ranking step 56, the administrator employs the administrator interface 24 of Fig. 1 to rank attributes in order of importance to the administrator. The attributes are ranked by assigning a first set of importance values to the different attributes. If the administrator represents a seller, the first set of importance values accommodates seller preferences. For example, a seller may assign a high importance value to a 'high price' descriptor value associated with a descriptor variable that describes price. Alternatively, the first set of importance values may represent default values set by the administrator, who may represent a seller. The optional ranking step 56 may be omitted without departing from the scope of the present invention.

With reference to Figs. 1 and 2, in a subsequent interface-generating step 58, the application server 32 running on the client computer 16 constructs a user interface(s) according to a configuration file transferred from the configurator 22. The user interfaces include various fields, such as drop down menus and/or text boxes, which allow market participants to selectively assign importance values to entities to be transacted. If the market participants include a buyer and a seller, buyer and seller importance values are assigned to a given product or service to be transacted, which represent second and third sets of importance values, respectively. Alternatively, the seller importance values may indicate which buyers

the seller wishes to do business with based on buyer qualities. The buyer importance values may indicate which sellers the buyer wishes to transact with based on seller qualities.

Alternatively, if no intermediate product is involved, such as in an internal allocation application that matches workers to job assignments, then the second set of importance values represents values assigned by workers to attributes of the task to be performed. The third set of importance values represents values assigned by the company or employer. In the present internal allocation example, the third set of importance values may be associated with attributes of the workers. The second set of importance values may be associated with attributes of the job assignments.

Next, in a matching step 60, the matching engine 28 computes a total match score for each transaction based on the first, second, and/or third set of importance values. To compute a match score, the matching engine 28 may employ one of several descriptor variable evaluation methods applicable to a given descriptor variable. The exact evaluation method selected for a given descriptor variable is application specific and may be determined by one skilled in the art will access to the present teachings.

Descriptor evaluation methods include the following methods: equal to, not equal to, strictly less than, strictly more than, less than or equal to, more than or equal to, distance, more is better (only available for continuous descriptors), and less is better (only available for continuous descriptors) methods. The various evaluation methods map preference selections and importance value assignments into a predetermined number range, such as between 0 and 1, with a higher value representing a more preferred selection.

For example, a market administrator representing an online shoe store may configure the user interfaces 36 to include material and traction descriptor variables, which describe the material composition of the shoe and traction qualities, respectively. The descriptor variables may be associated with drop down menus that allow users to select qualities for the different descriptor variables, where the qualities correspond to descriptor values. For example, the material descriptor variable may include drop down options corresponding to descriptor values such as leather, nylon, or canvas. The traction descriptor variable may include drop down options corresponding to descriptor values such as low traction, medium traction, and high traction.

If the administrator chooses to make the material and traction descriptor variables continuous descriptor variables, then users are given an option to assign importance values or weights to the corresponding descriptor values of leather, nylon, canvas, low traction, medium traction, and high traction. The importance values are assigned to

descriptor values on a scale of A to B , where A is the least important, and B is the most important to the user. If a user assigns an importance value of X , then $A \leq X \leq B$. If the administrator has chosen the distance method for evaluating descriptor variables, then C_{ijr} is computed based on the distance or difference from the desired attribute level B and the actual attribute level X . This relation is then used to calculate D_{ijr} in accordance with equation (4) and weighted by importance value between A and B , which is generally transformed into a number between zero and one.

If the evaluation method is selected as the equal to method, then the importance value assigned to a descriptor value by a user is evaluated as being equal to the desired attribute level or not. Descriptor variables evaluated according to the equal to method are discrete variables. For example, if the shoe material attribute is set as a discrete variable by a market administrator, and a user selects the leather descriptor value, then D_{ijr} evaluates to 1 if the material of a shoe is leather and 0 if not, where D_{ijr} takes on values between 0 and 1 ranging from worst match to best match. Of course, there is no requirement that D take on a value of zero or one, this is merely a special case of the continuous form of D which varies from zero to one continuously.

The evaluation methods compare buyer and seller descriptor values and check for the corresponding conditions. For example, if the evaluation method for a continuous descriptor is the distance method, then the match score for the descriptor decreases linearly based on the distance (difference in values) between the desired attribute level from the buyer's perspective and the attribute level associated with a particular product, such as a shoe. For discrete variables, an equal to evaluation option is employed and selected via the user interfaces 36 or the administrator interface 24 of Fig. 1.

The operations of the other evaluation methods, such as greater than or equal to, less than or equal to, strictly less than, and strictly more than are evaluated in accordance with their names like the distance and equal to methods. Those skilled in the art with access to the present teachings may easily implement the remaining methods without undue experimentation.

Hence, the matching engine 28 computes match scores for market transactions based on the predetermined descriptor variable evaluation method (such as the more is better method, the equal to method, the less is better method, and the distance method) specified via the administrator interface 24 and based on a match score computation method. The match score computation method is detailed in equations (1) through (5). The predetermined evaluation method maps descriptor values into corresponding preference numbers (D_{ijr})

within a predetermined number range, such as between 0 and 1. The evaluation methods are pre-selected by an administrator via the administrator interface 24 of Fig. 1 by selecting corresponding descriptor evaluation options. The actual evaluation methods are implemented via software of the matching engine 28. Alternatively, evaluation methods may be selected via the user interfaces 36 of Fig. 1 without departing from the scope of the present invention.

With reference to Fig. 1 and the method 50 of Fig. 2, after the matching step 60, control is passed to a market identification step 62. In the market identification step 62, a market administrator selects a market type, or a market is selected endogenously, i.e., automatically by the market generation system 12.

Market participants (users) or the administrators 14 of Fig. 1 may define the number of matches to displayed for a given search or matching operation. Using match scores guarantees that one or more best matches will be returned in response to a search or matching operation. Furthermore, unlike with conventional categorical markets, the probability of successfully recommending a product based on customer preferences and associated match scores of a particular search does not decrease as the number of descriptor variables or specified categories increase. Consequently, the present invention enables implementation of certain market types that would otherwise be impossible to electronically implement via conventional categorical matching engines.

The market generation system 12 can perform market simulations based on configuration information provided to the configurator by the administrators 14 to recommend and/or select an appropriate market. The simulations are implemented via simulation software and associated intelligence algorithms running on the matching engine 28. The simulation software may be constructed by one skilled in the art with access to the present teachings.

The simulation software of the matching engine 28 may incorporate an endogenous market definer (implemented in software of the matching engine 28) that automatically defines attribute descriptor variables based on pre-existing market data. The semi-endogenous market definer selects a starting participant, such as a seller, to participate in market transactions. The starting seller is chosen to match best with all buyers participating in the electronic market.

To match best with all buyers, the starting seller must maximize $\sum_j Z_{ij}$, where i is a seller index, j is a buyer index, and Z_{ij} is a total match score for the i^{th} seller and the j^{th}

buyer (See equations (1) through (5)). Additional sellers are selected to participate in the electronic market if they satisfy following conditions:

$$\sum_j \frac{(z_{kj} - \bar{z}_k)(z_{ij} - \bar{z}_i)}{\sigma_{kj}\sigma_{ij}} > T_1, \quad [7]$$

$$5 \quad \sum_j Z_{ij} > T_2,$$

where k represents the value of the seller index i associated with the starting seller; z_{ij} is a match value of a match between a seller i (an i^{th} seller) and a j^{th} buyer; z_{kj} is a match value of a match between the starting seller k and a j^{th} buyer; \bar{z}_k is an average of all match values of the matches between the starting seller k and all buyers j ; \bar{z}_i is an average of all match values of the matches between the seller i and all buyers j ; σ_{kj} is a standard deviation of z_{kj} taken across all buyers j ; σ_{ij} is a standard deviation of z_{ij} taken across all buyers j ; T_1 is a first predetermined threshold; and T_2 is a second predetermined threshold. T_1 is application-specific may be determined by one skilled in the art without undue experimentation.

Types of Markets

The market algorithm selected in the market identification step 62 may be an internal allocation market algorithm, a business-to-business concierge market algorithm, a modified competitive market algorithm, an electronic pawn shop market algorithm, an electronic wholesaler market algorithm, a trading post market algorithm, an auction or qualified auction market algorithm, a web credit market algorithm, etc. Many types of markets can be advantageously run with the advantages provided by the matching engine of the present invention. The market algorithms facilitate implementation of corresponding markets types of the same names as discussed more fully below.

The customizable matching system 10 of Fig. 1 and the method of present invention may be employed to implement various types of markets and to form new and advantageous markets that could not previously be implemented. For example, modified competitive markets represent a new type of market enabled via the present invention.

A competitive market assumes that all goods are homogeneous, having similar attributes. The modified competitive market and corresponding method or algorithm clears

in two steps. First, goods or services within the market are assumed to be homogeneous, and market equilibrium price is computed as it is in standard competitive markets by matching buyers and sellers and supply and demand. However, in standard competitive markets, buyers and sellers are assumed to be identical, and consequently, pairing of a buyer with a seller is arbitrary. All matches are assumed equivalent to each other. For example, in the market for shares of GM stock, assignment of shares to particular qualified buyers is arbitrary since the buyers are considered equivalent. However, in a modified competitive market, the matching is not arbitrary. After the equilibrium market price for a transaction is computed, buyers are matched with sellers according to match scores. For example, sellers of carpentry services might be paired with buyers according to location and other factors that make a given seller a better match with a given buyer. If a modified competitive market is selected for implementation via the configurator 22 and administrator interface 24 of Fig. 1, then modified competitive market software running on the matching engine 28 pairs participants in transactions, such as buyers and sellers, in accordance with a match score. The match score is based on descriptor variables, corresponding descriptor values, and assigned importance values pertaining to qualities associated with the market participants.

In a symmetric exchange market implemented by the present invention, preferences of both participants in a market transaction (both buyer and seller preferences) are accommodated. When a buyer searches for items, the searched items are scored in accordance with the preferences of the buyer and seller. Buyer preferences are specified via the user interfaces 36. Seller preferences may be pre-determined by the seller and specified via the administrator interface 24. The score for a particular item incorporates both buyer and seller preferences, which are indicated via importance values. A combined score for a particular searched item is then computed via a predetermined function, such as a geometric mean or via equation [1].

Examples of markets that can be run with the system of the present invention include the following:

Competitive Markets

Competitive markets can be run when there are many units of a homogeneous good or service for sale and many potential purchasers. Under such circumstances, there is typically one market clearing price. All buyers who are willing to pay at least that price get the good or service and all sellers who are willing to provide the good or service for less than the clearing price are guaranteed a sale. The engine runs competitive markets for any good or service.

Additionally, the engine actually has a method for determining how best to set up a market. Consider, for example, a competitive market for the purchase of puppies. Many types of puppies exist. For example, the market can be a market for one or more of the following: dogs, large dogs, Labrador Retrievers, Yellow Labrador Retrievers, Female

5 Yellow Labrador Retrievers, or Female Yellow Labrador Retrievers under 3 months of age who live in the San Francisco Bay Area, etc. Alternatively, there may not be enough Yellow Labradors in an existing market (e.g., for dogs) or in a particular geographic or demographic segment of sellers to create an efficient market. The narrower the category, the better is the match, but the narrower the category, the less likely there are to be a significant number of
10 buyers and sellers within a category. By examining desired trading patterns, the engine can automatically suggest or design the best market.

Modified Competitive Markets

In a competitive market, all goods or services transacted are assumed to be identical. After the market clears, the assignment of buyer to seller is arbitrary. In a
15 Modified Competitive Market, assignment of buyer to seller is made on the basis of other, secondary, characteristics after the market clears. In the puppy example, a buyer might be assigned to a seller on the basis of size or on the distance between buyer and seller. The engine runs modified competitive markets that run like a competitive market, but assigns buyers to sellers on the basis of secondary characteristics.

The Consignment Store

Currently, most web-based trades are either company-specific, where a buyer goes directly to the web site of a particular firm, or they occur on exchanges that are run as auctions. One alternative is to create a generalized consignment store, where goods and services are priced and buyers are matched to them, based on a potentially large set of
25 criteria. Auctions, where prices are not specified in advance, have some advantages to sellers, but many disadvantages to buyers, who would like to be certain that a bid results in a purchase. Imagine buying groceries by auction. Bidders at 9:00 am would have to wait until noon to know whether they obtained the breakfast cereal that they bid on. Stores, where goods are available at a specified price, are much more efficient than auctions for such goods.

30 In consignment stores, sellers list their goods or services at a specified price. Buyers list the attributes of the good or service that they want to purchase and are linked with any number of potential sellers. The exchange receives a commission when a match or actual trade occurs.

The engine creates consignment stores and allows the store to price the transaction, collect revenue on the basis of trades or matches provided or on a subscription basis.

5 The B2B Concierge

There are four models for current B2B transactions. The newest is the buying consortium. Others include auctions, catalog exchanges, and single store sales. For a variety of reasons, there are many situations when none of these is the most efficient.

10 An alternative, based on the consignment store model simply arranges the best matches between buyers and sellers. Here, sellers list their products and buyers list the characteristics of the input that they want.

A seller's price listing is a commitment to sell at that price, so the buyer is assured of supply once the ask price is offered. This differs from a catalog in that buyers are matched to sellers on the basis of attributes, not a hierarchical or index style rigid matching. 15 It differs from other stores in that many suppliers and many buyers are handled in the market simultaneously.

Barter

Barter exchange is idiosyncratic. Every individual or firm in the barter market is both a buyer and a seller. One firm is willing to trade something in return for something else. Another firm must be found that will accept the item offered and offer the item that is 20 desired in return. Furthermore, this must be done at appropriate "prices" or ratios of one good to another. (For example, how many computers does one firm provide in return for one hour of consulting time provided by the other firm?)

Since the system of the present invention can handle any number or type of 25 attributes, it is ideally suited for creating barter matches. The engine has the capability of running barter markets of all types, and it can provide implicit prices to the traders in the market. Furthermore, it can charge users on the basis of matches, actual trades, or on a subscription fee basis.

Electronic Pawnshops

30 A pawnshop differs from a consignment store in that the pawnshop buys the good or service from the seller before there is an actual buyer for the good or service. The owner of the pawnshop bears the risk. After committing to buy the good or service, the owner loses money if no sale or a sale at a low price occurs and makes money if a sale

occurs at a price above the purchase price. Unlike the consignment store, there is no commission; the pawnshop earns on the basis of the sell-buy spread.

The inventory may be a virtual one. There is no need for the pawnshop actually to hold the goods that it purchases. But it is necessary that delivery be guaranteed before payment is made.

The engine runs electronic pawnshops, keeping track of promised purchased price and actual transactions.

Electronic Wholesaler

Wholesalers who transact between businesses in the non-electronic world hold real inventories of real supplies. They bear the risk in that they own the intermediate goods that they sell. Similarly, the electronic wholesaler owns a variety of supplies from many different basic material suppliers and sells to firms that want to purchase inputs. If the price spread between purchase price and sales price is high, the wholesaler makes a large profit. If not, the wholesaler may take losses. Risk is borne by the wholesaler, not by the seller.

As such, the electronic wholesaler is a B2B version of the pawnshop, where the wholesaler owns the inventory (although it need not be in the physical possession of the wholesaler.) As with the B2B concierge, buyers specify the attributes of the supply they want and are matched with the relevant supplier. The difference between this market structure and the B2B concierge is that the wholesaler actually owns the supplies; the concierge merely acts as a matchmaker.

Trading Posts

A trading post is the barter-equivalent of an electronic pawnshop. In an electronic trading post, firms or individuals offer goods or services in return for other goods or services. In the pawnshop, individuals offer goods and services in return for money. Purchasers use money as the currency of the pawnshop. Purchasers use goods and services as currency at the trading post.

Trading posts have many of the attributes of barter, but have one major advantage. It is unnecessary to have a “double coincidence of wants” to complete a trade. In barter, if one trader wants to trade computers for computer consulting services, there must be another trader who wants to trade computer consulting services for computers. In a trading post, one trader gives up computers and receives computing services, but the supplier of the computer services is not necessarily (and usually is not) the trader who receives the

computers. Computer services and computers are held in virtually inventory and are made available when someone or some firm wants to trade something for them.

Trading posts are like electronic pawnshops in that the owner of the post bears the risk.

Just as the engine supports barter and electronic pawnshops, so too can it run an electronic trading post, keeping track of relative prices of one good or service in terms of another good or service.

Auctions

Auctions are already well-established on the internet. The engine runs all the standard auctions including English, Dutch, Japanese, sealed bid, and allows different pricing rules such as first-price and second-price auctions. It also permits the administrator to set auction rules including minimum prices, minimum bid increments, and maximum time between bids.

The engine accommodates seller-bid auctions as well as buyer-bid auctions. An example of a seller-bid auction is one where a buyer wants something done and is willing to accept bids for the job. RFPs of all sorts, including construction, research, and consulting fit this category.

Qualified Auctions

A qualified auction is an auction where only certain individuals or firms are deemed qualified to bid. Because the engine understands desired trading patterns, it can qualify buyers and/or sellers before an auction is run.

Consider, for example, a firm that wants to have a warehouse built. There are many potential bidders, but some are “nuisance” bidders in that the firm would never accept their services, no matter what their bid. The engine can qualify bidders on the basis of how well the characteristics of the bidder match those desired by the buyer.

Similarly, there are situations in which a seller of a good might want to reject some bidders because the seller is concerned that the bidders’ offers are disingenuous.

Auctions of houses might fall into this category, where the seller of a house cares about buyer characteristics because the seller wants to be certain that a bid will translate into an actual sale. The engine can qualify bidders on the basis of their match characteristics as specified by the seller or administrator.

Credit

The engine can operate a market where time of payment is different from time of receipt, thereby creating a credit operation.

Consider, for example, the electronic consignment store application. A buyer might want to take delivery of a good six months from now, but pay for it one year from now. A seller might want payment today, even though delivery does not occur for another six months and payment from the buyer is not received for another year. The engine allows the store to price the good, and then after entering an interest rate, calculates the amount that the seller receives today and that the buyer pays one year from now. It keeps track of the transaction and informs the administrator when payment must be made and when payment is due.

Technically, it is not necessary that any good exchange hands at all. As such, the engine has the ability to operate a credit market, pairing lenders and borrowers on the basis of their characteristics.

Internal Allocation

Because the engine has the ability to match and price any transaction, it can be used as an internal allocation engine, sorting workers with tasks, projects to departments, or workers to managers, among other applications.

Consider, for example, a firm that has one hundred account executives and one hundred different clients. The task is to assign one executive to each account, but to do so in a way that matches the characteristics of the executives with those needed in each account. Furthermore, once an executive is assigned to one account, he or she cannot be assigned again to another account. The engine performs this assignment, and does so according to any of a number of administrator-chosen criteria. These include maximizing the average quality of the match and maximizing the quality of the best match.

Auction Type Generation

The present invention provides a tool for helping to create an auction type of electronic marketplace. In Table I, several characteristics of auctions are listed in the top row such as "Supply (Demand) Structure," "Number of Goods," "Bidding Structure," etc. An administrator can create an auction by choosing one characteristic value from under each heading's column. Not all columns need to be used. Not all combinations are feasible.

In an alternative embodiment of the present invention, an administrator can simply indicate which values are desirable and the auction is automatically created in accordance with the selections.

Supply (Demand) Structure	Number of goods	Bidding Structure	Stopping Rule	Bidding increment rule	Winning Rule	Pricing Rule	Information Options
Perfectly inelastic (accept any price) (one or many identical goods auctioned at once)	one	One time bid	Time either completion or run time)	% of last bid	Highest bid (Lowest bid)	Action (own bid)	Bidding history (and timing) public
Perfectly inelastic above (below) some min. price (Accept any winning bid above (below) minimum (maximum) price) (One or many goods auctioned at once)	many as package	Sequential bottom up (top down) with permitted re-entry of drop-out bidders	Reach target number of bids – stop after the n^{th} bid	function of time since last bid	Highest n bids	Lowest winning bid (In reverse auction, highest winning ask)	Bidding history secret; only current highest bid announced.
Upward sloping supply: (Downward sloping demand) Multiple goods with some goods reservation price lower than other goods reservation price even though goods are identical.	many but bid on full set or subset (this can be diff. goods or some number of same good)	Simultaneous bidding bottom up (top down) without permitted re-entry of drop-out bidders – Once out, always out. Everyone bids every round or out.	Time interval after preceding bid has passed without another bid	function of last bid and of time since last bid	First bid	Highest losing bid (In reverse auction, lowest losing ask)	Bidder's identity and bidding history public
							No information made public. Each bidder told whether he won or lost.
	many sold or bought in subsets	One time bid on both price and quantity	Bid (or ask) hits some level	Fixed amount	First n bids		Highest bidder's identity public or not
			Only n bidders left	% of last bid	Last n remaining bidders		Winning bidder's identity public or not
				Bidder chosen	One price beats another by some margin		(The above selections are not mutually exclusive)
				Fixed or functional increment per unit of time			Winning bid public

TABLE I

For example, an auction where the number of goods is one, one time bids are allowed, the auction stops at a specific time and the bidding increment is a function of time since the last bid can be created by selecting the appropriate four values from the chart in Table I. Not only does this approach provide a systematic way to specify auctions, but administrators can be led into auction types that are appropriate for a specific application. In an embodiment, for example, the chart can be displayed on a display screen while the administrator/user clicks on chart values. After each value is selected, values which are not permissible can be removed from possible selection (e.g., by shading out their text) and

values which are newly possible can be provided for selection (e.g., by displaying the new values in appropriate positions in the chart).

Market Clearing

5 With reference to the method 50 of Fig. 2, control is passed to a market-clearing step 64 after the market selection step 62. In the market-clearing step, a market-clearing algorithm corresponding to the type of market selected via the administrators 14 and the interface 24 of Fig. 1 or selected automatically by the matching engine 28 and configurator 22, clears the market. The selected market and corresponding market-clearing
10 software (algorithm) employs input from the user interfaces 36 to clear matched transactions. Depending on the type of market selected, market participants may have the option to accept or decline a matched transaction via the interfaces 36.

15 In a specific implementation, buyers and sellers participate in transactions, and one-to-many market-clearing software and/or one-to-one market-clearing software is used by the matching engine 28 and corresponding market-clearing software to clear markets. The one-to-one market-clearing software includes routines for searching all total match scores Z_{ij} for seller i and buyer j . The one-to-one market-clearing software then selects the maximum value of Z_{ij} and then participant i is assigned to participant j to yield cleared participants in response thereto. The one-to-one market-clearing software then removes Z_{ij} corresponding
20 to the cleared participants from the set of all Z_{ij} to yield a reduced Z_{ij} . The one-to-one market-clearing software then repeats the above steps for the reduced Z_{ij} . The one-to-one market-clearing software also includes routines for clearing markets by maximizing the sum of all matches Z_{ij}^* for the total market and clearing sections of a matrix of values corresponding to Z_{ij} .

25 Those skilled in the art will appreciate that the order of the steps of the method of Fig. 2 may be permuted to meet the needs of a given application without departing from the scope of the present invention.

30 Thus, the present invention has been described herein with reference to a particular embodiment for a particular application. Those having ordinary skill in the art and access to the present teachings will recognize additional modifications, applications, and embodiments within the scope thereof.

It is therefore intended by the appended claims to cover any and all such applications, modifications and embodiments within the scope of the present invention.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240